1. Three turbines of 50,000 kw each were in operation at the power plant near Rey (1"55'11/37'213''), Urraintam S.S.R., in January 1950. Recording to Wide Horton the Geometric Andrew of the third to 1947, and the third to 1949. The fourth turbine, which was included to be ready for use on the day of the October Archite 1949, the second in 1947, and the third in 1949. The fourth turbine, which was included to be ready for use on the day of the October Archite 1949, that four turbines were in operation and that a large part of the Escales was supplied by the power plant. Sowiet organized said that, in all-pight turbines were no operation and that a large part of the Escales was supplied by the power plant. Sowiet organized said that, in all-pight turbines were to be operation by 1955. The required surveying was undowned as always the two long sides of the ball. Radius toole of various types were seen along the two long sides of the hall. Stating tools are placed or which the trains were placed or the operation and the second place is the trains which had been substantiant to the second place or the operation and the second place is the second place or the operation of the second place of the ball. The operation of the second place of the operation of the second place		CENTR	AL INTELLIGE	PTATI TECIA-RIP P82- NCE AGENCY	00457R0065005000 .REPORT NO	7	V
1. Thruge turbines of 50,000 km such were in operation at the power plant near Rey (http://press.org.new.org.n		INFOR	MATION	REPOR	CD NO	25X1	
This is unevaluated in Supplement to grant the power plant near Roy (1"55'11/37'215''), Urrainian S.C.R., in damary 1950, According to We better the second in 1947, and the third in 1949. The fourth turbine, which was schedule to be ready for use on the day of the obtoor involution 1949, that have not understood to be ready for use on the day of the obtoor involution 1949, that four turbines were in operation and that a large part of the direction and installations of the power plant. Sowiet organisms said that, in allegight turbines were no operation by 1955. The required surveying was understood to be ready for use of the day of the obtoor involution 1949, that four turbines were in operation and that a large part of the direction was supplied by the power plant. Sowiet organisms that it array part of the direction was supplied by the power plant. Sowiet organisms said that, in allegight turbines were to be operation by 1955. The required surveying was undowned or various types were seen of the gallery mean three contributions of the seen of the gallery mean three forths turbine within the third in turbines to the blues were placed on their foundations by a gland verse. Bugst installations a close of the contributions were income on the foundations were placed on their foundations by a gland verse. Bugst believe with the blues were placed on their foundations by a gland verse. Bugst believe with the second on the power plant are only the power plant itself. However, week was under very at the reservoir enhancement to raise the water level of the water through the true observe. 25X1 memory in the cases. 5. The reservoir enhancement was about 1,000 return long and only 3 meters wide at the create of the create and about 20 rotal was the foundation was going on the power plant itself. However, week was under construction of return week of the old one. It is also 1,000 notars long but 30 peters wide at the creat and about 20 rotal server. 5. The reservoir enhancement was about 1,000 return long and only 3 mete	COUNTRY	USSR(Ukrainian SSR)			DATE DISTR	20 Febru	uary
1. Three turbines of 50,000 kw each were in operation at the power plant near Roy (1 "55" N/37" 15"), Utrainian 5. E, in January 1950. According to bid Rotters on the reason of the second of the second in 1917, and the third in 196. The fourth turbine, which was schedule to be ready for use on the day of the Cotobar Levelution 199, was not running January 1950, atthough 50 operation by 1955. The required surveying was undowny. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 reters. A wide rallery with whiching installations related to long ideas of the hall. Eachine tools of the survey has seen on the gallery near the fourth turbines by a large part tools of the furtient side of the furthern 196. The surveying was undowny. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 reters. A wide rallery with whiching installations related to long ideas of the hall. Eachine tools of various types were see on the gallery near the fourth turbines by a glant orane. Eight believes with the surveying was made on the foundation in the plant area six boilers 16 neters long and 3 meters in 10 meters long and 2 meters in 10 meters which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived	SUBJECT			v	NO. OF PAGE	ES 2	
1. Three turbines of 50,000 kw each were in operation at the power plant near Roy (1 "55" N/37" 15"), Utrainian 5. E, in January 1950. According to bid Rotters on the reason of the second of the second in 1917, and the third in 196. The fourth turbine, which was schedule to be ready for use on the day of the Cotobar Levelution 199, was not running January 1950, atthough 50 operation by 1955. The required surveying was undowny. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 reters. A wide rallery with whiching installations related to long ideas of the hall. Eachine tools of the survey has seen on the gallery near the fourth turbines by a large part tools of the furtient side of the furthern 196. The surveying was undowny. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 reters. A wide rallery with whiching installations related to long ideas of the hall. Eachine tools of various types were see on the gallery near the fourth turbines by a glant orane. Eight believes with the surveying was made on the foundation in the plant area six boilers 16 neters long and 3 meters in 10 meters long and 2 meters in 10 meters which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived, each leaded on a separate freight car and lettered critiss which had arrived	PLACE ACQUIRED	25X1	-T11211 70	CIV		LS. 1	
1. Three turbines of 50,000 kw each were in operation at the power plant near Rey (h''59'N/37'18''), Ukrainian S.C.R., in January 1950. According to Udo Merten chief construction sengineer, the first turbine was installed in 1946, the second in 1947, and the third in 1790. The fourth turbine, which was schedule to be ready for use on the day of the Ceteber levelution 1949, was notrunning January 1950, although Soviet engineers told one Fi in 1ste 1940 that four turbines were in operation and that a large part of the Meraine was supplied by the power plant. Sowiet engineers said that, in all, eight turbines were to be operation by 1955. The required surveying was underway. 2. The four turbines were set up slong the northern side of the turbine house on foundations 18 x 12 x 2 meters. A wide gallery with cubiching installations r along the two long sides of the hall. Nachine tools of various types were see on the gallery near the fourth turbines while this was bodag installed. The turbines were placed on their foundations by a glant orane. Night believe were see on the gallery near the fourth turbine while this was bodag installed. The turbines were placed on their foundations by a glant orane. Night believe to the greatest firing devices were installed in the bodier house. 2. 3. 3. 3. 4. A fourth amoleostack on the power plant was balf completed in January 1950. Obtained there was no construction work going on the power plant itself. However, were there was no construction work going on the power plant itself. However, when we under way at the reservoir embankment to rais the water level of the reservoir embankment was about 1,000 meters long and only 3 meters wide at the create. A new dem was under construction 50 meters west of the old one. It is also 1,000 meters long the large it is also 1,000 meters and about 20 rotes. 3. The reservoir embankment was about 1,000 meters long and only 3 meters wide at the create and about 20 rotes. 4. A fourth amoleostack on the power plant was balf excepted in Capaci	NFO.		Er NOSV	25X1			
1. Three turbines of 50,000 ky each were in operation at the power plant near Roy (hr 59 n/3725). Ucraintan S.S.R., in January 1950. According to Vdo Morton the ef construction engineer, the First turbine was installed in 1946, the second in 1947, as the third in 1949. The fourth turbine, which was schedule to be ready for use on the day of the Cotobor Evolution 1949, was noterunning. January 1950, although Soviet engineers told one F4 in late 1949 that four turbines were in operation and that a large part of the Ucraine was supplied by the power plant. Soviet engineers said that, in all-pright turbines were to be operation by 1955. The required surveying was undorway. 2. The four turbines were set up along the nerthern side of the turbine house on foundations 16 x 12 x 2 neters. A wide gallery with evitebring installations r along the two long sides of the hall. Nachine tools of various types were see on the gallery mean the fourth turbine while this was being installed. The two bines were placed on their foundations by a glant crane. Night believe with automatic firing devices were installed in the boiler house. 3. In the plant area six boilers 18 meters long and 3 meters in 01 meters in more which had arrived, each leaded on a separate freight car and lettered "Oppele" and "Hiespitiz". 4. A fourth smokestack on the power plant was balf completed in January 1950. Out while there was no construction work poing on the power plant itself. However, week was under may at the reservoir embandment to rais the water level of the 15 cm of the created and the created and should be constructed to the created and should be constructed to the create west of the clid one. It is also 1,000 meters long but 30 meters wide at the creat and about 20 reters with large in Class M. Base Distribution and the creating in Class M. Base Distributi	ATIV 794: OF THE ATION OF ITS CO IS PROHIBITED BY	RATES, ETHING THE MEASURE OF TITLE TO, SECTION OF U.S. CODE, AS AMERIDED. STS TRANSPISSION OF INTENTS TO OR RECEIPT BY AN UNAUTHORIZED IS EASY. THE REPRODUCTION OF THIS FORM IS PROV.		THIS IS U	NEVALUATED INFOR	RMATION	
1. Three turbines of 50,000 kw each were in operation at the power plant near Roy (kr of 50 km / 370 km;), Ukrainian S.C.R., in January 1950. According to Woo kerton chief construction engineer, the first turbine was installed in 1946, the second in 1947, and the third in 1949. The fourth turbine, which was schedule to be ready for use on the day of the Cotober Earchution 1949, was not running January 1950, although Seviet engineers told one FW in late 1949 that four turbiness were in operation and that a large part of the Ukraine was supplied by the power plant. Soviet engineers said that, in all, eight turbines were to be operation by 1955. The required surveying was underway. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 meters. A wide gallery with switching installations on along the two long sides of the hall. Hachine tools of various types were see on the gallery near the fourth turbine while this was being installed. The turbines were placed on their foundations by a giant crame. Bight beilers with automatic firting devices were installed in the boiler house. 3			erren. 25X	.1			* •
1. Three turbines of 50,000 kw each were in operation at the power plant near Roy (kr of 50 km / 370 km;), Ukrainian S.C.R., in January 1950. According to Woo kerton chief construction engineer, the first turbine was installed in 1946, the second in 1947, and the third in 1949. The fourth turbine, which was schedule to be ready for use on the day of the Cotober Earchution 1949, was not running January 1950, although Seviet engineers told one FW in late 1949 that four turbiness were in operation and that a large part of the Ukraine was supplied by the power plant. Soviet engineers said that, in all, eight turbines were to be operation by 1955. The required surveying was underway. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 meters. A wide gallery with switching installations on along the two long sides of the hall. Hachine tools of various types were see on the gallery near the fourth turbine while this was being installed. The turbines were placed on their foundations by a giant crame. Bight beilers with automatic firting devices were installed in the boiler house. 3							
1. Three turbines of 50,000 kw each were in operation at the power plant near Roy (kr of 50 km / 370 km;), Ukrainian S.C.R., in January 1950. According to Woo kerton chief construction engineer, the first turbine was installed in 1946, the second in 1947, and the third in 1949. The fourth turbine, which was schedule to be ready for use on the day of the Cotober Earchution 1949, was not running January 1950, although Seviet engineers told one FW in late 1949 that four turbiness were in operation and that a large part of the Ukraine was supplied by the power plant. Soviet engineers said that, in all, eight turbines were to be operation by 1955. The required surveying was underway. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 meters. A wide gallery with switching installations on along the two long sides of the hall. Hachine tools of various types were see on the gallery near the fourth turbine while this was being installed. The turbines were placed on their foundations by a giant crame. Bight beilers with automatic firting devices were installed in the boiler house. 3							
1. Three turbines of 50,000 kw each were in operation at the power plant near Roy (kr of 50 km / 370 km;), Ukrainian S.C.R., in January 1950. According to Woo kerton chief construction engineer, the first turbine was installed in 1946, the second in 1947, and the third in 1949. The fourth turbine, which was schedule to be ready for use on the day of the Cotober Earchution 1949, was not running January 1950, although Seviet engineers told one FW in late 1949 that four turbiness were in operation and that a large part of the Ukraine was supplied by the power plant. Soviet engineers said that, in all, eight turbines were to be operation by 1955. The required surveying was underway. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 meters. A wide gallery with switching installations on along the two long sides of the hall. Hachine tools of various types were see on the gallery near the fourth turbine while this was being installed. The turbines were placed on their foundations by a giant crame. Bight beilers with automatic firting devices were installed in the boiler house. 3							
1. Three turbines of 50,000 kw each were in operation at the power plant near Roy (kr of 50 km / 370 km;), Ukrainian S.C.R., in January 1950. According to Woo kerton chief construction engineer, the first turbine was installed in 1946, the second in 1947, and the third in 1949. The fourth turbine, which was schedule to be ready for use on the day of the Cotober Earchution 1949, was not running January 1950, although Seviet engineers told one FW in late 1949 that four turbiness were in operation and that a large part of the Ukraine was supplied by the power plant. Soviet engineers said that, in all, eight turbines were to be operation by 1955. The required surveying was underway. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 meters. A wide gallery with switching installations on along the two long sides of the hall. Hachine tools of various types were see on the gallery near the fourth turbine while this was being installed. The turbines were placed on their foundations by a giant crame. Bight beilers with automatic firting devices were installed in the boiler house. 3			•		•		
January 1950, although Covict engineers told one F4 in late 1949 that four turbines were in operation and that a large part of the dicains was supplied by the power plant. Soviet engineers said that, in all, eight turbines were to be operation by 1955. The required surveying was underway. 2. The four turbines were set up along the northern side of the turbine house on foundations 18 x 12 x 2 noters. A wide callery with switching installations r along the two long sides of the hall. Eachine tools of various types were seet on the gallery near the fourth turbine while this was being installed. The turbines were placed on their foundations by a giant crane. Bight bediers with automatic firing devices were installed in the boilor house. 3.	1.	(4"59:N/37"18"1), Ukra chief construction engi second in 1947, and the	inian S.S.R. neer, to third in 19	, in January he first tur 49. The fou	1950. Accordin bino was install rth turbine, whi	ig to Udo Meri ed in 1946, i ch was schedi	tons the
foundations 18 x 12 x 2 meters. A wide callery with switching installations ralong the two long sides of the hall. Bachine tools of various types were seed on the callery near the fourth turbine while this was being installed. The two bines were placed on their foundations by a glant crane. Eight beilers with guivemetic firing devices were installed in the boiler house. 3	· ·	141 DE 1996 LUT 170 1180 CM		to a Clark with a sec.	merch we have "Olio	was a mark resembled	
25X1 CLASSIFICATION CONFIDENTIAL STATE # NAVY # NARE DISTRIBUTION A flour th same Mannesmann tubes up to 50 cm in diameter, and cix large crotes which had arrived, each leaded on a separate freight car and lettered "Cppeln" and "Liegnitz". b. A flourth smokestack on the power plant was half completed in January 1950. Other wise there was no construction work going on the power plant itself. However, work was under may at the reservoir embankment to raise the water level of the reservoir embankment was about 1,000 reters long and only 3 meters wide at its crest. A new dam was under construction 50 meters west of the old one. It is also 1,000 meters long but 30 meters wide at the crest and about 20 meters. CLASSIFICATION CONFIDENTIAL STATE # NAVY # NARE DISTRIBUTION ARMY # PER DISTRIBUTION Becument No.		January 1950, although turbines were in operat the power plant. Sovie	Soviet engir ion and that it engineers	neers told or a large par said that, ir	e FW in late 194 t of the Ukraine all, eight turbi	9 that four was supplied	ng b 1 by
A fourth smokestack on the power plant was half completed in January 1950. Other wise there was no construction work going on the power plant itself. However, work was under tay at the reservoir embankment to raise the water level of the reservoir by 6 meters. 5. The reservoir embankment was about 1,000 meters long and only 3 meters wide at its crest. A new dam was under construction 50 meters west of the old one. It is also 1,000 meters long but 30 meters wide at the crest and about 20 moters. CLASSIFICATION CONFIDENTIAL STATE # MANY NARB DISTRIBUTION ARMY # FEB DISTRIBUTION Becument No. 10 Magiassified 25	2.	January 1950, although turbines were in operation by 1955. The operation by 1955. The The four turbines were foundations 18 x 12 x 2 along the two long side on the gallery near the bines were placed on the	Soviet engineers required su set up along meters. As of the hall fourth turb eir foundati	neers told or a large par said that, in everying was the norther wide gallery l. Machine time while the	e F4 in late 194 t of the Ukraine all, eight turbi underway. In side of the turbith with switching tools of various is was being insuctional erane. Eight	O that four was supplied the war were to the control of the contro	ng b d by be i on s ra seen tur
its crest. A new dam was under construction 50 meters west of the old one. It is also 1,000 meters long but 30 meters wide at the crost and about 20 meters. CLASSIFICATION CONFIDENTIAL STATE # NAVY NSRB DISTRIBUTION ARMY # NRB DISTRIBUTION ARMY # FBI - Recument No. 25 La Change in Class. X Deciassified 25		January 1950, although turbines were in operatine power plant. Sovie operation by 1955. The The four turbines were foundations 18 x 12 x 2 along the two long side on the gallery near the bines were placed on the automatic firing device in the diameter, numerous Mann crates which had arrive	Soviet engineers tengineers required so set up along meters. A se of the hal fourth turbeir foundations were instanced and the second to be second t	seers told or a large par said that, in reveying was the norther wide gallery l. Hachine dine while the ons by a gia alled in the	e F4 in late 194 t of the Ukraine all, eight turbi underway. In side of the turbi with switching tools of various is was being ins nt crane. Eight boiler house. 8 meters long and in diameter, and	that four was supplied the was supplied the was supplied to be with the was a supplied to be with the was a supplied to the was a su	ng b d by be i on s ra seen tur
CLASSIFICATION CONFIDENTIAL STATE # NAVY NSRB DISTRIBUTION ARMY # FBI - Becument to. 20 Ke Change in Class. X Declassified 25	25X1 <u>հ</u> .	January 1950, although turbines were in operation by 1955. The operation by 1955. The The four turbines were foundations 18 x 12 x 2 along the two long side on the gallery near the bines were placed on the automatic firing device in the Glameter, numerous Mannerates which had arrive "Oppeln" and "Liegnitz" A fourth smokestack on wise there was no const work was under may at t	Soviet engineers and that engineers required su set up along meters. A is of the half foundati is were instabled and the power plant area second to be the power plant ruction work	seers told or a large par said that, in creeying was the norther wide callery l. Hachine ine while the ons by a giallad in the dix boilers law to 50 cm d on a separant was half going on the	tof the Ukraine all, eight turbi underway. In side of the turbi underway.	that four was supplied the was supplied the was supplied to be were to be with the was a supplied to be with the was a supplied to be with the was a supplied to be was a supplie	ng b l by be i on s ra seen tur Oth
CLASSIFICATION CONFIDENTIAL STATE # NAVY NSRB DISTRIBUTION ARMY # FBI - Becument to. 20 Ke Change in Class. X Declassified 25	25X1	January 1950, although turbines were in operation by 1955. The operation by 1955. The The four turbines were foundations 18 x 12 x 2 along the two long side on the gallery near the bines were placed on the automatic firing device in the Grameter, numerous Mannerates which had arrive "Oppelu" and "Liegnitz" A fourth smokestack on wise there was no const work was under way at treservoir by 6 meters. The reservoir embankmen its crest. A new dam were	Soviet engineers to engineers required so set up along meters. As of the half fourth turbeir foundation were installed to the power plant area secmann tubes d, each leaded the power plant area secmann tubes the reservoir	seers told on a large par said that, in creying was the merther wide gallery l. Hachine in while thous by a giallad in the dix boilers laup to 50 cm d on a separant was half going on the embankment.	to f the Ukraine all, eight turbi underway. In side of the turbi underway. In side of the turbi with switching tools of various is was being insent crane. Eight boiler house. Someters long and in diameter, an ate freight car. completed in Jace power plant it to raise the water.	that four was supplied the was supplied to be used to be used to be used to be used to be used. The used the used to be u	ng b il by be i on s ra seen tur o Oth er,
ARMY # AIR # FEI Boument No. 209 Ke Charge in Class. X Declassified 25	25X1 1, 25X1	January 1950, although turbines were in operation by 1955. The operation by 1955. The The four turbines were foundations 18 x 12 x 2 along the two long side on the gallery near the bines were placed on the automatic firing device in the Grameter, numerous Mannerates which had arrive "Oppelu" and "Liegnitz" A fourth smokestack on wise there was no const work was under way at treservoir by 6 meters. The reservoir embankmen its crest. A new dam were	Soviet engineers to engineers required so set up along meters. As of the half fourth turbeir foundation were installed to the power plant area secmann tubes d, each leaded the power plant area secmann tubes the reservoir	seers told on a large par said that, in creying was the merther wide gallery l. Hachine in while thous by a giallad in the dix boilers laup to 50 cm d on a separant was half going on the embankment.	tof the Ukraine all, eight turbi underway. In side of the turbi underway. In side of the turbi with switching tools of various is was being insent crane. Eight boiler house. Someters long and in diameter, an ate freight car completed in Js e power plant it to raise the water and the crest and at the crest and at the crest and all, in the crest and all in the crest and al	that four was supplied the was supplied to be used to be used to be used to be used to be used. The used the used to be u	ng b il by be i on s ra seen tur o Oth er,
Ke Change in Class. 🔼 . Declassified 25	25X1	January 1950, although turbines were in operation by 1955. The operation by 1955. The The four turbines were foundations 18 x 12 x 2 along the two long side on the gallery near the bines were placed on the automatic firing device in the diameter, numerous Mannerates which had arrive "Oppeln" and "Liegnitz" A fourth smokestack on wise there was no const work was under way at treservoir by 6 meters. The reservoir embankmen its crest. A new dam with is also 1,000 meters.	Soviet engineers from and that engineers required su set up along meters. A set of the half fourth turb leir foundaties were instanced, each leaded the power plant area secmann tubes d, each leaded the power plant was about as under con leng but 30 CONFIDENTIA	seers told on a large par said that, in receiving was the norther wide gallery l. Hachine into while the ons by a giallad in the dix boilers laup to 50 cm d on a separant was half going on the embandment l,000 meters struction 50 meters wide	tof the Ukraine all, eight turbi underway. In side of the turbi underway. In side of the turbi with switching tools of various is was being insent crane. Eight boiler house. Someters long and in diameter, an ate freight car completed in Js e power plant it to raise the water and the crest and at the crest and at the crest and all, in the crest and all in the crest and al	that four was supplied the was supplied to be used to be used to be used to be used to be used. The used the used to be u	ng b il by be i on s ra seen tur o Oth er,
1 L Zu	25X1 1 25X1 5	January 1950, although turbines were in operation by 1955. The operation by 1955. The The four turbines were foundations 18 x 12 x 2 along the two long side on the gallery near the bines were placed on the automatic firing device in the diameter, numerous Mannerates which had arrive "Oppeln" and "Liegnitz" A fourth smokestack on wise there was no const work was under way at t reservoir by 6 meters. The reservoir embankmen its crest. A new dam with its also 1,000 meters.	Soviet engineers from and that engineers required su set up along meters. A set of the half fourth turb leir foundaties were instanced, each leaded the power plant area secmann tubes d, each leaded the power plant was about as under con leng but 30 CONFIDENTIA	seers told on a large par said that, in receiving was the norther wide gallery l. Hachine into while the ons by a giallad in the dix boilers laup to 50 cm d on a separant was half going on the embandment l,000 meters struction 50 meters wide	tof the Ukraine all, eight turbi underway. In side of the turbi underway. In side of the turbi with switching tools of various is was being insent crane. Eight boiler house. Someters long and in diameter, an ate freight car completed in Js e power plant it to raise the water. Long and only 3 meters west of at the crest and	that four was supplied the was supplied to be used to b	ng b il by be i on s ra seen tur o Oth er,
Class. Changed To: TS S <u>A</u>	25X1 1 25X1 5	January 1950, although turbines were in operation by 1955. The operation by 1955. The The four turbines were foundations 18 x 12 x 2 along the two long side on the gallery near the bines were placed on the automatic firing device in the diameter, numerous Mannerates which had arrive "Oppeln" and "Liegnitz" A fourth smokestack on wise there was no const work was under way at t reservoir by 6 meters. The reservoir embankmen its crest. A new dam with its also 1,000 meters.	Soviet engineers from and that engineers required su set up along meters. A set of the half fourth turb leir foundaties were instanced, each leaded the power plant area secmann tubes d, each leaded the power plant was about as under con leng but 30 CONFIDENTIA	seers told on a large par said that, in receiving was the norther wide gallery l. Hachine into while the ons by a giallad in the dix boilers laup to 50 cm d on a separant was half going on the embandment l,000 meters struction 50 meters wide	tof the Ukraine all, eight turbi underway. In side of the turbing underway. In	that four was supplied the swere to the swere to the swere to the stallations types were stalled. The beilers with d 3 meters in d cim large and lettered musry 1950. Self. However level of the cid one. d about 20 meters wide the cid one.	ng b il by be i on s ra seen tur o Oth er,

25X1 Approved For Release 2004/01/22 : CIA RDP82 00/457R006500500011-0

CONFIDENTIAL

25X1

CENTRAL INTELLIGENCE AGENCY

high. The dam is of mud with a stone lining on the side facing the reservoir. A reinforced concrete spillman through the dam was being built at its northern side. The dam was nearing completion at that time. *

25X1 Comment. See three for status of the construction work on the dam in 1949. The location of the "Vurythovgres" power plant near Roya was previously reported.

According to an earlier report, two 50,000 kw turbines were in use in Hovember 1940, the foundations for the third turbine tere completed, and the fourth turbine started running on 7 October 1949. This report also mentions the planned installation of four more turbines. It appears correct that within the framework of the current five-year plan the capacity of this power plant is to be increased to such an extent that it will be able to take over the work of the large Dnieper power plant near capacitae of energency.

1 ANTEX: New dam of the reservoir IM of Roya.

COMMEDITIA

Approved For Release 2004/01/22: CIA-RDP 82-00457R006500500011-0

CENTRAL INT'LLIGENCE AGENCY

New Dam of the reservoir

NW of Heye.

Annex

Completed

ander Construction

25X1